


Patient Information			
Patient	DEMO 1	Gender	
Patient ID	01	Exam Date	26/02/2015 19:04:26
Date of Birth	01/01/1988	Surgeon	

PUPILLOMETRY

Dynamic pupillography

Diameter		Pupil Center		Diameter		Pupil Center	
Min	Max	Center Mean	Std Dev.	Min	Max	Center Mean	Std Dev.
2.02 mm	3.17 mm	-0.13 mm	0.02 mm	2.04 mm	2.79 mm	0.04 mm	0.02 mm
		0.05 mm		-0.02 mm			

Latency



Photopic pupillography

Diameter		Pupil Center		Diameter		Pupil Center	
Avg. Diam.	Diam. Std Dev.	Center X - Y	Cen. Std Dev.	Avg. Diam.	Diam. Std Dev.	Center X - Y	Cen. Std Dev.
2.20 mm	0.00 mm	-0.12 mm	0.00 mm	2.10 mm	0.00 mm	0.04 mm	0.00 mm
		0.06 mm		-0.03 mm			

Mesopic pupillography

Diameter		Pupil Center		Diameter		Pupil Center	
Avg. Diam.	Diam. Std Dev.	Center X - Y	Cen. Std Dev.	Avg. Diam.	Diam. Std Dev.	Center X - Y	Cen. Std Dev.
3.07 mm	0.00 mm	-0.09 mm	0.00 mm	2.68 mm	0.00 mm	0.07 mm	0.00 mm
		0.02 mm		-0.02 mm			

Scotopic pupillography

Diameter		Pupil Center		Diameter		Pupil Center	
Avg. Diam.	Diam. Std Dev.	Center X - Y	Cen. Std Dev.	Avg. Diam.	Diam. Std Dev.	Center X - Y	Cen. Std Dev.
2.83 mm	0.00 mm	-0.13 mm	0.00 mm	2.67 mm	0.00 mm	0.05 mm	0.00 mm
		0.06 mm		-0.02 mm			

Notes